PROCEEDING

The 6th International Conference on Green Technology

Malang, 18-19 September 2015

Innovation in Islamic Perspective for Sustainable Development Action Toward International Challenges



Science and Technology Faculty Maulana Malik Ibrahim Statae Islamic University Jalan Gajayana 50 Malang, Jawa Timur, Indonesia



PROCEEDING

The 6th International Conference on Green Technology

Innovation in Islamic Perspective for Sustainable Development Action Toward International Challenges

Malang, 18-19 September 2015

ISSN 2301-4490

rena Vario, Sikero



Science and Technology Faculty

Maulana Malik Ibrahim Statae Islamic University

Jalan Gajayana 50 Malang, Jawa Timur, Indonesia



Maulana Malik Ibrahim State Islamic University / Malang, 18-19 September 2015

Committee

Steering Committee:

Dr. drh. Hj. Bayyinatul Muchtaromah, M.Si Dr. Sri Harini, M. Si Aldrin Yusuf Firmansyah, MT Linda Salma Anggreani, S.Si, MT Mohammad Nafie Jauhari, M.Si

Editor

Prof. Toshifumi Sakaguchi Dr. Nor Atiah Ismail Assoc Prof. Dr. Akira Kikuchi Prof. Madya Dr. Mohamad Shanudin Zakariya Prof. Drs. Ec. Ir. Riyanarto Sarno, M.Sc., Ph.D. Priyantono Rudito Ph.D Dr. Cahvo Crysdian Dr. Suhartono, M.Kom Dr. Muhammad Faisal, MT Dr. Mokhamad Amin Harvadi, MT Dr. H. Imam Sujarwo, M.Pd Dr. Abdussakir, M.Pd Dr. Drs. Usman Pagalay, M.Si Dr. Agus Mulyono, M.Kes Dr. Ulfah Utami, M. Si Dr. Dra. Retno Susilowati, M.Si Dr. Evika Sandi Savitri, MP

Scientific Committee:

Yulia Eka Putrie, MT

Elok Kamilah Hayati, M. Si

Supriyono, M.Kom Fachrur Rozi, M.Si Erna Hastuti, M.Si Dr. Agung Sedayu, MT Tri Kustono Adi, M.Sc Dwi Suheriyanto, S.Si., M.P Begum Fauziyah, M.Farm

Organizing Committe

Dr. Eko Budi Minarno, M.Pd Citra Fidya Atmalia, SH Muhammad Ismail Marzuki, SE Tuti Indayani, SE Mujahidin Ahmad, S.Pt., M.Sc Roro Indah Melani, MT, M.Sc Ririen Kusumawati, M.Kom Ainatul Mardiyah, M.Cs Rusianah, S.Kom Nur Farida, S.Psi Abidin, S.Pd Hendri Cahyo Gunawan, S.Kom Eka Arif Santoso Aan Fuad Subarkah, S.Kom Weni Susilowati, S.AB Irjatul Wardah, S.Kom Oktarina Eka Hartanti, SE Muhammad Hatif, S.Pd I Ernaning Setiyowati, MT Ivana Varita, S.Kom Prima Kurniawaty, ST., M.Si Deny Zainal Arifin, S.Kom Anton Prasetvo, S.Si Ahmad Latif Qosim, S.Kom Tarranita Kusumadewi, MT Sri Winarni, MT Gianto Widodo, S.Kom Aziz Mustofa, S.Kom



Maulana Malik Ibrahim State Islamic University / Malang, 18-19 September 2015

FOREWORD

Sustainable development is development which meets the needs of the present without comprising the ability of future generations to meet their own needs. Sustainability is important because all the choices we pursue and all the actions that we make today will affect everything in the future. We need to make careful decisions at present in order to avoid limiting choices of the next generations at the future.

Sustainable development implies the fulfillment of several conditions: preserving the balance of the environment, preventing the exhaustion of natural resources, and optimizing the energy consumption. In the sustainable development action, there are many major challenges to be addressed. It requires us to re-think our growth in terms of social live that is more economical in its use of raw materials and energy. In this context, sustainable developments are now become an essential obligation.

Within the concept of rahmatan lil alamin, Islam considers it essential to preserve the environment and that the environmental management relies heavily on our actions today. To accommodate the above issues, the Faculty of Science and Technology of Maulana Malik Ibrahim State Islamic University dedicates an international seminar on science and technology "Innovation in Islamic perspective for sustainable development action toward international challenges".

We are delighted to invite the academicians, researchers, and practitioners to participate in this international seminar of

contacted to colling a high water of the art of the

- 1. Natural science
- 2. Mathematics and Modeling
- 3. Computational Technology
- 4. Applied Science and Technology
- 5. Architecture
- 6. Pharmacy and Medical Technology

Best Regards

Committee



Table of Content

Committe	ii
Foreword	iii
Table of Content	iv
Natural Science	
An Exploratory Study of Tomato Marketing in East Java Kuntoro Boga Andri, Tiago Wandschneider, Teddy Kristedy	01
Antibacterial Activity of Awar-Awar Leaves (Ficus septica Burm F) Against Staphylococcus aureus ATCC 29523 and Escherichia coli ATCC 35218 Arifah Khusnuryani, Zainatul Fuad	14
Biodiversity and Relationship Rose Apple (Syzgium aqueum Burm.F.Alston) Morphological Approach Through Nature in Plantation Bhakti, Pasuruan Hamidah, Junairiah, Devi Mardiastuti	20
Characteristics and Performance of Shalot Industry in Indonesia Kuntoro Boga Andri, Tiago Wandschneider, Teddy Kristedy	28
Characteristic Morphology on Seeds of Four Collection Plant That Have Been Cultivated in Purwodadi Botanical Garden Firda Asmaul Husna, Agung Sri Darmayanti, Eko Sri Sulasmi	36
Clarification of Protein Sub Unit Pili And Outer Membrane Protein (Omp) Shigella flexneri As Adhesion Protein With Hem Agglutination Test Avin Ainur Fitrianingsih	41
Composition and Abundance Of Crustacea and Polychaeta In Mangrove Stands At Bulalo Kwandang District North Gorontalo Regency Abubakar Sidik Katili, Ramli Utina, Susantika Kurapu	48
Control of Fusarium Wilt Disease in Onion Plants (Allium Ascolonicum) Using Trichoderma Biofungicide Diding Rachmawati, Eli Korlina, Baswarsiati	52
Detection Terpenoid of Fern Genus Dryopteris, Asplenium, and Davalia in Taman Hutan Raya Raden Soerjo Ajeng Wijarprasidya, Firda Asmaul Husna, Istamaya Ariani, Eko Sri Sulasmi	58
Effect of Sargassum Filipendula Fucozanthin Against Hela Cell And Lymphocyte Proliferation Kartini Zailanie, Umi Kalsum	62



Effect of Plant Population Some Variety of Soybean in Upland Zainal Arifin, Indriana RD	71
Heritability and Growth of Four Shallot Varieties at Off Season in Bojonegoro Fuad Nur Azis, Kuntoro Boga Andri	77
Identification of Bioactive Compounds of the Moss Leucobryum aduncum Dozy and Molk Junairiah, Tri Nurhariyati, Suaibah, Ni'matuzahroh, Lilis Sulistyorini	84
Identification Tannin Compound of Three Genus Pterodophytes in Taman Hutan Raya Raden Soerjo Eko Sri Sulasmi, Sitoresmi Prabaningtyas, Murni Sapta Sari	89
Isolation and Characterization of Nitrogen Fixing Bacteria From Post-Mining Soil of Limestone Quarry: Bacterial Sreening For Eco-Fertilizer Mashudi, Nisa Rachmania Mubarik, Ratih Dewi Hastuti	93
Krokot (Portulaca Oleracea. L) As a Natural Sensitizer For Tio2 Dye-Sensitized Solar Cells: The Effect Of Temperature Extract Reyza Anni Mufiidah, Khamidinal, Endaruji Sedyadi, Didik Krisdiyanto	99
Occurrence of Important Pest and Disease on Polianthes tuberosa in East Java Wahyu Handayati	106
Potency of Tropical Fruit Juices as Natural Antioxidant Source L.H. Mukminin, P.M. Al Asna, S. Sundari, B. Lukiati	112
Potential Development of Dioscorea composita L. and Dioscorea bulbifera L Sri Hutami, Ragapadmi Purnamaningsih, Surya Diantina	117
Rutin Compound From Malus Domesctica Against Colon Cancer Based On In Silico Arindra Trisna Widiansyah, Ardini Pangastuti, Rizka Elan Fadilah	125
Seedlings Growth of a Critically Endangered Species, Hopea sangal, on Various Growing Media Soejono	131
Study of Microbiological at Coastal Water in Port Dickson, Malaysia Prima Aswirna	139
Study of Various Factors For Hairy Root Growth of Artemisia Annua Ragapadmi Purnamaningsih, Sri Hutami, Ireng Darwati	148
Synthesis of <i>I-menthyl</i> Acetate by Esterification <i>I-menthol</i> and Acetate Anhydride with Variation of Time Novia Suryani, A. Ghanaim Fasya, Rurini Retnowati, Akyunul Jannah	155
and the second of the second o	1



The Influence of Media Osmotic on Characters of Celosia in Vitro Callus	
Retno Mastuti, Nunung Harijati	162
The Periphyton Community Structure In The Habitat Of Lawar (Perinereis cf. cultrifera) At	4
Wearlilir Waters In The Southeast Maluku	-
Martha Rettob	168
	100
The Hea of Diantes - New 17	2.1 *
The Use of Plant as a Natural Larvacide to the Mortality Aedes Aegypti Larvae Aseptianova	
Ασεριματογα	173
	41.
Applied Science & Technology	
Attack Shoot Borers Scirpophaga excerptalis Walker (Lepidoptera; Pyralidae) Planting	T
System in Multiple Sugarcane (Saccharum officinarum L.)	
Andi Muhammad Amir	178
Application Technology of Post-Harvest Sweet Corn in the Tawangargo Village, Karangploso	-
District, Malang	
Lailatul Isnaini, Baswarsiati	190
	1
Bioecology Pest Rodents on Mung Boan Blant Fore Dala Frank No.	
Bioecology Pest Rodents on Mung Bean Plant Fore Belu East Nusa Tenggara and Control Riza Ulil Fitria	
	201
Effect of Complementary Liquid Fertilizer on Quality Parameters and Physico-chemical	
Characteristics of Cabbage (Bassica oleraceae L.) During Preservation	
ta Yustina, Sri Zunaini Sa'adah, Rohmad Budiono, Farid R. Abadi	206
and the same of th	200
Effect of Grafting and Variety on Disease David	y 6
Effect of Grafting and Variety on Disease Development and Production of Tomato	
Eli Korlina, Evy Latifah, Kuntoro Boga Andri, Joko Mariyono	213
end Efficiency and Dala Williams	
eed Efficincy and Body Weight Gain of Fat Tailed Sheep Fed Dry Vagetable Waste as ubstitution of Concentrates	
abstration of concentrates	00-
iti Istiana, Dini Hardini, Eni Fidiyawati	221
reenhouse Dryer Performance for Drying Thin Slices of Potato Tuber	
arid R. Abadi, Ita Yustina	225
	223
ntroduction of 4 New Superior Varieties of Inpari Paddy in Scholl Field-Integrated Crops	
idilagement (ICM)	
ugiono, Amik Krismawati	232
awar Nutritional Content and Lawar Pellets	
artha Rettob, Cenny Putnarubun, Nally Erbabley, Santy Rahantoknam	222
- January Manuflownian	239
echanical Properties of Brass Metal Matrix Composite (MMC) reinforced with Fly Ash	
minnudin, Heru Suryanto	243
	5



Preference Test of Sustainable Food Household area (KRPL)'S Produsts in Sukorejo Village,					
Ponorogo and the state of the s	247				
Sri Satya Antarlina, Aniswatul Khamidah					
and how to the more than a second to the first the second to the second	g at 1				
Respons of New Varieties Rice to Important Pests in Bangkalan Rainfed					
Respons of New Varieues Nice to important rests in bangkaran kanned	257				
Donald Sihombing, Wahyu Handayati	257				
Sago Palm (Metroxylon sagu rottb.) as potential Genetic Resource For Food and	47				
Environmental Conservation	262				
Yati Supriati	203				
	- 1				
Study on the Ash Composition of Albazia Falcataria					
Mokh. Hairul Bahri	271				
MONE THAT HE BUILT					
The Assessment of Field Usage on Productive Age Podang Mango Plantation For Intercrops					
Sri Yuniastuti 💢 🐒 🧼 🤲 📆 ili kalendara ka	273				
The Assesment of NSV's Role in Increasing Wetland Rice Productivity at Kediri Regency	1 2				
	280				
*	,				
The Combustion of Hydrogen on Reaction Jathropa Oil and Water					
Agus Wibowo, I.N.G Wardana, Slamet Wahyudi, Denny Widhiyanuriyawan	287				
The state of the s	7.				
The Effectiveness of Inorganic Fertilizer Usage on Growth and Yield of Field Rice					
Amik Krismawati, Sugiono	292				
	197 v				
Thermal Degradation Of Mendong Fiber					
Heru Suryanto	306				
ાર લ વ્યવસ્થાના ક	CONTROL OF THE PARTY.				
Mathematics and Modelling					
Analysis of Torque Vertical on String Model and the string of the string					
Ari Kusumastuti, Sri Sasi Yuni Nurhayati	310				
10. The first are a second for the second first and a first control of the second for the second control of the second for the	, I				
Assimilation and Accomodation Description of The Eighth Grade Students with Low Ability					
in Learning Phytagoras Theorem	gada e a				
	315				
•	, Y				
The second secon					
The Effectiveness of Calculus Based on Contextual Learning Model	V.**				
	<u> </u>				
	.323				
Nana Sepriyanti, Ahmad Fauzan	323				
Nana Sepriyanti, Ahmad Fauzan					
Nana Sepriyanti, Ahmad Fauzan	200. 00				
Nana Sepriyanti, Ahmad Fauzan					
Nana Sepriyanti, Ahmad Fauzan	en				
Nana Sepriyanti, Ahmad Fauzan	en 1 1 1 1 1 1 1 1 1				



Monitoring on the Development of Small and Middle Business in Malang Based on Geographic Information System (GIS) and Fuzzy Sugeno Gianto Widodo, Novta Dany'el Irawan, Mustamin Hamid, Soleh Hadi Purnomo	327
White Box Testing on the Learning Assesment Software Development Muhammad Nuris, Fatchurrochman, Zainal Abidin	334
Architecture	
Emerging Landscape Visual Quality Assessment for Rural Spatial Planning in Bumiaji District, Batu City Dina Poerwoningsih, Antariksa, Amin Setyo Leksono, Abdul Wahid Hasyim	34:
Performance Attributes Determination of Tawang Alun Terminal in Jember Agung Sedayu	354
Strategy on Green Building to Reduce Overall Thermal Transfer Value in the Orthopedic Hospital in the Tropics Hendro trilistyo, Erni Setyowati	36
Sustainable Pedestrian Ways in Central Business District of Tunjungan Surabaya Ardy Maulidy Navastara Veronica Mandasari	36
The Quality Evaluation of Regional Structure of Ijen Area in Malang City Towards Sustainable Urban Development Aldrin Yusuf Firmansyah	37
Pharmacy and Medical Technology	
Alstonia Scholaris : Alkaloids Isolation, And Potency Toward Toxoplasmosis Identification Begum Fauziyah, Ali Abraham, Qodia Rahmawati, Roudlotul Nadhifah, Fadhilatul Ismiyah	388
Can Miswak Extract Be Topical Antimicrobial? Atina Yuliandari, Faiqotul Choiroh, Abdul Syakur	39:
Comparison The Anticancer Effect Of Extract And Fraction Calotropis Gigantea Radix On Human Colon Cancer Widr And Breast Cancer T47D Cell Lines Roihatul Mutiah, Sukardiman, Aty Widyawaruyanti	39
Date Fruit as a Potential Pharmaceutical Product Rich in Antioxidants	-



Effect of Polysaccharide Krestin From <i>Coriolus Versicolor</i> on Antibody Titer Mice Exposure Due <i>Pseudomonas Aeruginosa</i> Sri Puji Astuti Wahyuningsih, Nadyatul Ilma Indah Savira, Win Darmanto	412
Performance Analysis of General Hospital Pharmacy of University Muhammadiyah Malang With Customer Perspective Approachment Ika Ratna Hidayati	418
Reverse Docking Reveals Annona Muricata's Muricatocin C As A Candidate Of Ppary Inhibitor (A New Alternative Drug For Osteoporosis' Therapeutic) Ahmad Fauzi, Agung Pambudiono, Erna Wijayanti	424
Sanguinarine Chloride as a Result of Virtual Screening For Candidate of Egfr Inhibitor Agung Pambudiono, Wasiatus Sa'diyah, Yulya Fatma, Diandara Oryza	429
The Characteristic Feature Of Type 2 Diabetic Animal Models Induced By High Fructose Diet Ang Multiple Low Dose Streptozocotin Nurlaili Susanti	434
The Optimization Of Eluent Chromatography Thin Layer 2-D For The Purification Of Isolat Alkaloid Of Pulai Having Potention As Anti-Toxoplasma Arief Suryadinata, Begum Fauziyah, Fitria Rahmawati	440



ANTIBACTERIAL ACTIVITY OF AWAR-AWAR LEAVES (Ficus septica Burm f) AGAINST Staphylococcus aureus ATCC 29523 AND Escherichia coli ATCC 35218

Arifah Khusnuryani¹, Zainatul Fuad¹

¹Department of Biology, Faculty of Science and technology, UIN Sunan Kalijaga, Yogyakarta, Indonesia Email: anikarifah@yahoo.com

ABSTRACT

This research was conducted to observe the activity of ethanol extract of Awar-awar (Ficus septica Burm f) leaves as antibacterial against Staphylococcus aureus ATCC 29523 and Escherichia coli ATCC 35218 based on the formation of clear zone and analysis of cell leak. The result showed that ethanol extract of awar-awar leaves performed antibacterial activity against S. aureus ATCC 29523 and E. coli ATCC 35218. Based on the clear zone diamter, that antibacerial activity was categorized as medium. The analysis of cell leak using spectrophotometer at λ 260 nm and 280 nm did not indicate that ethanol extract of awar-awar leaves can cause cell leak on S. aureus ATCC 29523 and E. coli ATCC 35218.

Keywords

antibacterial activity, awar-awar leaves, E. coli ATCC 35218, S. aureus ATCC 29523

INTRODUCTION

Most of infectious diseases were caused by bacteria. Staphylococcus aureus and Escherichia coli are important pathogen which usualy resistant to some medicines. That resistance lead to difficulties in choosing appropriate antimicrobial for therapy. As reported by Depkes (2008) that many antibiotics have been used for curing of infectious diseases, however infection problem still continue. Volk and Wheeler (1993) stated that antibiotic cure can cause resistance of bacteria, then we need new product which potential as antibacterial to solve that infection problem.

Plants contain some active chemical compounds whic are potential to kill or

inhibit bacterial growth. Awar-awar (Ficus septica Burm F) is one of potential plants that can be used for medication. This plant can be found in Java, Madura, and Sulawesi (Steenis, 2005). Awar-awar was used as traditional medication in Bali. Awar-awar leaves can be used as medicine for skin disease, appendix disease, bisul, snake bite, and asthma (Didik et al, 2002). The roots can be used to cure some stomachaches such as dysentri and cholerae, also to cure toxin and asthma (Segatri, 1995).

Awar-awar contains some chemical compounds such as saponin, flavonoid, and tanin, also alkaloid such as tilosrebrin (hauptalkaloid), tiloforin, septisin, and antofin. The leaves and roots contain stigmasterol and β -sitosterol. The roots



Maulana Malik Ibrahim State Islamic University / Malang, 18-19 September 2015

also contain sterol and polyphenol (Didik et al, 2002).

Some researches have conducted to assess active compound of plants or natural compounds to inhibit S. aureus and E. coli. Those researches are Azadirachta indica (mimba) seed to inhibit S. aureus (Ambarwati, 2007) and Anredera cordifolia (binahong) leaves to inhibit S. aureus and Pseudomonas aeruginosa (Khunaifi, 2010). Other investigations of S. aureus growth inhibition were done using Alpinia galanga (Yuharmen et al, 2002). Piper betle leaves (Poeloengan et al, 2006; Hermawan et al, 2007), Plumbago zeylanica L leaves (Poeloengan, 2009), and red betel leaves (Reveny, 2011). While Curcuma xanthorriza (Meilisa, 2008), Artocarpus altilis leaves (Sulistyaningsih et al, 2009), and Morinda citrifolia (Dewi, 2010) were used to inhibit E. coli.

Based on the above explanation, awar-awar has not been used for the investigation of *S. aureus* and *E. coli* inhibition. Some researches using awar-awar were the usage of methanol extract of awar-awar roots to inhibit *Vibrio cholera* and *E. coli* (Sukadana, 2000), also ethanol extract of awar-awar leaves againts citotoxic activity of cancer cells (Sekti et al, 2010).

Our preliminary test showed that awar-awar leaves juice could inhibit *S. aureus* growth at concentration 25% (clear zone diameter 0,67 mm), 50% (clear zone diameter 1,0 mm), and 75% (clear zone diameter 2,0 mm). Those results show that awar-awar leaves juice could inhibit *S. aureus* growth even the inhibition was weak. Therefore we conducted this research

using ethanol to extract the active compounds of awar-awar leaves.

Tabel 1. Clear zone diameter after the treatment of ethanol extract of Awar-awar leaves on S. aureus ATCC 29523 and E. coli ATCC 35218

e and the ham to a seri	Section of the sectio		
No. 17 17 Treatment 7 17 17 17 17 17 17 17 17 17 17 17 17 1	S. aureus ATCC 29523	E. coli ATCC 35218	
1 Extract of Awar-awar 10% leaves 10%	2.	8	
the tan filter seage of	070	9	
er a Tarant (B.), provide stank <mark>20%</mark> e Taranta (B.) in the second	3,7		

MATERIALS AND METHODS

1. Ethanol extraction of awar-awar leaves powder

Extraction was proceed by maseration. Awar-awar leaves powder (200 g) was dissolved with 800 mL ethanol 96%. Sample was homogenized using shaker at 120 rpm for 24 hours. Than, sample was filtrated and the filtrat was evaporated until gel crude extract was formed.

2. Antibacterial activity test of awarawar leaves extract using disc difusion method

Bacterial culture of *S. aureus* ATCC 29523 dan *E. coli* ATCC 35218 (0,1 mL each) from NB medium was separately inoculated in NA medium using spread plate method. Various ethanol extract of awar-awar leaves (10%, 20%, 30%, 40%, dan 50%) were impregnated onto 5 mm paper disk and then placed on the seeded NA medium using a



Maulana Malik Ibrahim State Islamic University / Malang, 18-19 September 2015

sterile forceps. Plates were incubated for 24 hours at 37°C. and the diameter of the zone of inhibition around the disk is measured to the nearest millimeter (Greenwood, 1995). Based on Davis and Stout (1971), the inhibition activity is categorized as weak inhibition if the diameter of clear zone is ≤ 5 mm, as medium inhibition if the diameter is around 5-10 mm, as strong inhibition if the diameter around 10-19 mm, and as very strong if the diameter is ≥ 20 mm.

3. Analysis of cell leak (Bunduki et al, 1995)

Bacterial suspension (10 mL) which has been grown along 24 hours was centrifuged at 3.500 rpm for 20 minutes. Filtrat was discharged and 5 mL NaCl 0,85% was added into cell sediment. Then, extract awar-awar leaves which produced smallest clear zone (concentration 10%) was added and incubated at 120 rpm, 37°C, for 24 hours. Similar bacterial suspension without extract addition was used as comparison. Next, bacteria-extract suspension wass centrifuged at 3.500 rpm for 20 minutes. The optical density of supernatan then was analyzed susing spectrophotometer UV-Vis at λ 260 nm for nucleic acid analysisi and at λ 280 nm for protein analysis.

RESULTS

Data in **Table 1** shows that ethanol extract of awar-awar leaves with various concentartion can inhibit the growth of *S. aureus* ATCC 29523 and *E. coli* ATCC 35218. Based on Davis and Stout (1971), the inhibition was categorized as medium. The images of clear zone are shown on Fig. 1 and **2**.

Test of bacterial cell leak of *S. aureus* ATCC 29523 and *E. coli* ATCC 35218 was conducted using spectrophotometer UV-Vis

at λ 260 nm for measurement of nucleic acid nitrogen and at λ 280 nm for nitrogen of protein. The result is shown in **Table 2**.

DISCUSSION

Our preliminary study showed that juice of awar-awar leaves, with aquades as the solvent, can inhibit *S. aureus* ATCC 29523 growth with 2 mm clear zone diamater. Based on Davis and Stout (1971), that inhibition activity was categorized as weak, because the clear zone was < 5 mm. However, we conclude that awar-awar leaves were potential as antibacteria and can be improved by extracting it using another solvent.




Figure 1. The image of clear zone after the treatment 20% (A) and 30% (B) ethanol extract of Awa awar leaves on S. aureus ATCC 29523



Maulana Malik Ibrahim State Islamic University / Malang, 18-19 September 2015

	esult of cell					
CI	pectrophoto	ometer	at \ 260	nm ar	08C P	- 22
	acout obito		40.00	ALLEE CAR	200	
	Same of		5 5 5 5 5 5			

Absorbance Sample				
λ 260 nm	λ 280 nm			
1,035	0,463			
0,885	0,434			
undetected	undetected			
undetected	undetected			
	1,035 0,885			




Figure 2. The image of clear zone after the treatment of 20% (A) and 30% (B) ethanol extract of Awar-awar leaves on *E. coli* ATCC 35218

Ethanol was choosen as extraction solvent, because it is a polar solvent, while active compounds in awar-awar leaves are polar compounds. Therefore it can extracte the active compounds effectively. Moreover, it is easy to get ethanol, ethanol is cheap, not easy to evaporate, and not affect the active compounds (Ahmad, 2006).

In this research we used *S. aureus* ATCC 29523 (Gram positive) and *E. coli* ATCC 35218 (Gram negative) to check the antibacterial spectrum of awar-awar leaves. ar-awar. Pelczar and Chan (1998) stated that a compound has wide spectrum if that compound can inhibit the growth of Gram positive and Gram negative bacteria. If the compound only inhibit the growth of Gram

positif or Gram negative bacteria, then it can be categorized as a narrow spectrum compound. Based on the result (Table 1 and Fig. 2), it can be concluded that ethanol extract of awar-awar leaves has wide spectrum antibacterial compound.

Awar-awar leaves contain some secondary metabolites, such as flavonoid, saponin, and tanin. Those secondary metabolites can be extracted using ethanol as solvent. Flavonoid can form complex compoud with extracelullar protein. That complex compound is able to be dissolved, then can damage bacterial cell membrane and followed by the release of intracellular ompounds of bacterial cell. Tanin can vrinkle bacterial cell wall or membrane, herefore it can disturb cell permeability vhich lead to growth disturbation. While aponin can damage cell membrane by lecreasing cell wall turgor which can lead o cell wall lysis.

Usually, the diameter of clear zone vill increase parallel with the increase of extract concentration. However, in this esearch we found that the celar zone liameter was decrease when the extract oncentration was increased to 30%. Dewi 2010) stated that the increase of clear zone diameter not always corespond with the increase of antibacterial concentration. Antibacterial activity can be affected by the concentration of antibacterial compound, temperature, pH, microbial species, and organic compound.

The result showed that *S. aureus* ATCC 29523 and *E. coli* ATCC 35218 gave different respond to our treatment. *S. aureus* ATCC 29523 was more sensitive to the extract than *E. coli* ATCC 35218. Cell wall stucture of *S. aureus* ATCC 29523 is more simple than of *E. coli* ATCC 35218. The cell wall of *S. aureus* ATCC 29523 is composed of one thick layer, while cell wall of *E. coli* ATCC 35218 is composed of some layers. Therefore, *S. aureus* ATCC 29523 more sensitive to antibacterial compounds.



Maulana Malik Ibrahim State Islamic University / Malang, 18-19 September 2015

The bacterial respond to ethanol extract of awar-awar leaves was also observed by analysing the disturbance or damage of membrane cell, based on the bacterial growth medium turbidity. Bacterial cell membrane damage was measured based on the compounds which is released by the cell, those are nitrogen from nucleic acid (measured at λ 260 nm) and nitrogen from protein (measured at λ 280 nm).

Data in **Table 2** shows that the absorbance at λ 260 nm and 280 nm were undetected. That undectected absorbance perhaps was caused by the intense color of awar-awar leaves extract. Therefore spectrophotometer UV-Vis could not detect the nucleic acid and protein which were released from bacterial cell.

Different result was shown by Febriyanti (2010) who observed the effect of betel leaf volatile oil fraction against Gram positive bacteria such as Bacillus subtilis, S. mutan, and S. aureus. While Azis observed antibacterial (2010)the mechanism of ethanol extract of white lily bulbs againts Propionibacterium acnes, S. aureus, dan S. epidermis. Both showed the increase of absorbance when bacteria were contacted with the extract. It can be summarized that the different result of our research with those two researches can be affected by the different of the extracted material, the kind of extract, and the strain of bacteria. Next observation using other methods is recommended to observe the antibacterial mechanism of ethanol extract of awar-awar leaves.

CONCLUSION

 Ethanol extract of awar-awar leaves can inhibit the growth of Staphylococcus aureus ATCC 29523 and Escherichia coli ATCC 35218. The inhibition was categorized as medium inhibition. Antibacterial mechanism of ethanol extract of awar-awar leaves against Staphylococcus aureus ATCC 29523 and Escherichia coli ATCC 35218 could not be observed based on the analysis of cell leak.

REFERENCES

- Achmad, S.A. 2006. Materi Pokok Kimia Organik Bahan Alam. Karunika, Jakarta
- Ambarwati. 2007. Efektivitas Zat Antibakteri Biji Mimba (Azadirachta indica) untuk Menghambat Pertumbuhan Salmonella thyposa dan Staphylococcus aureus. Biodiversitas, 8 (3): 320-325. ISSN: 1412-033X.
- Azis, S. 2010. Uji Aktivitas Antibakteri Ekstrak Etanol Daun dan Umbi Bakung Putih (*Crinum Asiaticum* L.) terhadap Bakteri Penyebab Jerawat. Fakultas Kedokteran dan Ilmu Kesehatan, UIN Syarif Hidayatullah, Jakarta
- Bunduki, MMC, Handler, KJ., and Donnell NC. 1995. Metabolic and structural sites of damage in heat and sanitizer injured population of *Listeria monocytogenes*. Food Protec. 58:410-415
- Davis, W. and Stout, T. 1971. Disc plate method of microbiological antibiotic assay. *Appl Microbiol*, 22 (4), 659-665
- Departemen Kesehatan dan Kesejahteraan Sosial RI. 2008. Inventarisasi Tanaman ObatIndonesia 1 jilid 1. Badan Penelitian dan Pengembangan Kesehatan, Jakarta
- Dewi, F.K. 2010. Aktivitas Antibakteri Ekstrak Etanol Buah Mengkudu



Maulana Malik Ibrahim State Islamic University / Malang, 18-19 September 2015

- Pembusuk Daging Segar Fakulktas (12): 6-12. Matematika dan Ilmu Pengetahuan Alam UNS ,Surakarta.
- Didik G., Sudarsono P., Imono A., dan Purnomo. 2002. Tumbuhan Obat II. Pusat Studi Obat tradisional UGM Yogyakarta.
- Febriyanti. 2010. Analisis Komponen Kimia Fraksi Minyak Atsiri Daun Sirih (Piper dan bettle Linn) Uii Aktivitas Antibakteri terhadap Beberapa Jenis Bakteri Gram Positif. Kedokteran dan Ilmu Kesehatan UIN Markadi in programa signification in many and account
- Khunaifi, M. 2010. Uji Aktivitas Antibakteri Ekstrak Daun Binahong (Anredera cordifolia (Ten) Steenis) terhadap Bakteri Staphylococcus aureus dan **Pseudomonas** aeruginosa. Iurusan Biologi Fakultas Sains dan Teknologi UIN Malang.
- Meilisa. 2008. Uji Aktivitas Antibakteri dan Formulasi dalam Sediaan Kapsul dari Ekstrak Etanol Rimpang Tumbuhan Temulawak (Curcuma Xanthorrhiza terhadap beberapa Bakteri.[Skripsi]. Fakultas Farmasi USU Medan
- Pelczar, M and Chan. 1998. Dasar-Dasar Mikrobiologi 1. UI-Press, Jakarta
- Poeloengan, M. 2009. Aktivitas Air Perasan dan Ekstrak Etanol daun Encok Terhadap Bakteri yang Diisolasi dari Mastitis Subklinis. Seminar Nasional Teknologi Peternakan dan Veteriner, Bogor.
- Reveny, J. 2011. Daya Antimikroba Ekstrak dan Fraksi Daun Sirih Merah (Piper betle Linn). Jurnal Ilmu Dasar Fakultas

- Morinda citrifolla L) Terhadap Bakteri Farmasi Universitas Sumatra Utara
 - Sekti, D.A., Mubarok M.F., Armandani I., Junedy S., and Meiyanto E. 2010. Ekstrak Etanolik Daun Awar-awar (Ficus septica Burm f) memacu Apoptosis Sel Kanker Payudara MCF-7 Melalui Penekanan Ekspresi Bcl-2. Majalah Obat Tradisional, 15 (3): 100-104.
 - Segatri, P. 1995. Taru Premana Khasiat Tanaman Obat untuk Obat Tradisional. Fakultas Upada Sastra, Denpasar

the first the process of the process of the same

Land to the State of

- sound of that their metions Syarif Hidayatullah, Jakarta. Sukadana, I M. 2000. Aktivitas Antibakteri Senyawa Flavonoid dari Kulit Akar Awar-awar (Ficus septica Burm f). Chemical Review. 4 (3): 63-70.
 - Sulistiyaningsih, Rostinawati T., Permana C., 2009. Aktivitas Antimikroba Ekstrak Etanol Dau Sukun (Artocarpus altilis [Parkins] Fosbberg) terhadap Bakteri Escherichia coli, Bacillus subtilis dan Jamur Candida albicans, Micosporum gypsium. Farmaka Vol. 7 (1): 1-14
 - Van Steenis C.G.G.J., 2005. Flora-flora. PT Pradnya Paramita, Jakarta
 - Volk, W.A., and Wheeler, 1993. Mikrobiologi Dasar Jilid I Edisi kelima (Translate: Markham. Erlangga, Jakarta
 - Yuharmen., Eryanti Y., and Nurbalatif. 2002. Uji aktivitas Antimikroba Minyak Atsiri dan Ekstrak Metanol Lengkuas (Alpina galanga). Jurusan Kimia FMIPA Universitas Riau

Selectific godenies.